

SE		Revision date 13-Aug-2024	Print date 13-Aug-20				
	CTION 1: Identification of th	ne substance/mixture and of the company/undertaking					
.1	Product identifier						
	Trade name/designation						
	AH0-700	Anti-adherent coating colourless, crystal clear					
1.2	Relevant identified uses of the substance or mixture and uses advised against						
	Relevant identified uses						
	see as in techn. data sheet						
.3	Details of the supplier of the	safety data sheet					
	Supplier						
	griwecolor GmbH Im Wieselbrunnen 2 78199 Bräunlingen Germany	Telephone: +49 7707 9904-0 E-mail: info@griwecolor.de					
	Department responsible for ir	nformation					
	E-mail (competent person)	info@griwecolor.de					
.4	Emergency telephone numbe						
	Emergency telephone number: +49 7707 99040 Only available during office hours.						
SE	CTION 2: Hazards identifica	ation					
.1	Classification of the substance	ce or mixture					
	Classification according to Regulation (EC) No 1272/2008 [CLP]						
	The mixture is classified as not	hazardous according to regulation (EC) No 1272/2008 [CLP].	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].				
	Label elements						
.2	Label elements						
2.2		ation (EC) No. 1272/2008 [CLP]					
2.2		ation (EC) No. 1272/2008 [CLP]					
2.2	Labelling according to Regula Hazard pictograms	ation (EC) No. 1272/2008 [CLP]					
2.2	Labelling according to Regula Hazard pictograms not applicable	ation (EC) No. 1272/2008 [CLP]					
2.2	Labelling according to Regula Hazard pictograms not applicable Signal word	ation (EC) No. 1272/2008 [CLP]					
2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable	ation (EC) No. 1272/2008 [CLP]					
2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable Hazard statements	ation (EC) No. 1272/2008 [CLP]					
2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable Hazard statements not applicable	ation (EC) No. 1272/2008 [CLP]					
2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable Hazard statements not applicable Precautionary statements						
2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable Hazard statements not applicable Precautionary statements not applicable						
2.2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable Hazard statements not applicable Precautionary statements not applicable Hazard components for labell	ing					
2.2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable Hazard statements not applicable Precautionary statements not applicable Hazard components for labell not applicable Supplemental hazard informa EUH208	ing					
2.2	Labelling according to Regula Hazard pictograms not applicable Signal word not applicable Hazard statements not applicable Precautionary statements not applicable Hazard components for labell not applicable Supplemental hazard informa EUH208	l <b>ing</b> <b>tion</b> ntains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.					

## 3.2 Mixtures

Description waterbased Dispersion Hazardous ingredients



)-700 sion 1.1	Anti-adherent coating Revision date 13-Aug-2024	Print date 13-Aug-2024
CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
2634-33-5 220-120-9 613-088-00-6	1,2-benzisothiazol-3(2H)-one         01-2120761540-60         Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Dam. 1 H318 / Acute Tox. 2         H330 / Aquatic Acute 1 H400 / Aquatic Chronic 1 H410         Specific concentration limit (SCL)         Skin Sens. 1 H317: >= 0,05         ATE (oral): = 532 mg/kg         ATE (dermal): = 5,000 mg/kg	< 0,025

Full text of H- and EUH-statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

The product itself does not burn.

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

#### Special hazards arising from the substance or mixture 5.2

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Hazardous decomposition byproducts may form with exposure to high temperatures: Carbon dioxide (CO2), carbon monoxide, smoke, Nitrogen oxides (NOx).

#### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

## 6.2 Environmental precautions



AH0-700	Anti-adherent coating
Version 1.1	Revision date 13-Aug-2024

Print date 13-Aug-2024

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

#### 6.4 Reference to other sections

Observe protective provisions (see section 7 and 8).

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

**Storage class** LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Protect from heat and direct sunlight. Protect from frost. Take care of instructions on label.

#### 7.3 Specific end use(s)

Observe technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No data available

#### **Biological limit values**

#### No data available

#### DNEL worker

CAS No.	Substance name	DNEL type	DNEL value
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term dermal (systemic)	0.966 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term inhalative (systemic)	6.81 mg/m <sup>3</sup>

#### **DNEL Consumer**

CAS No.	Substance name	DNEL type	DNEL value
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term inhalative (systemic)	1.2 mg/m <sup>3</sup>
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term dermal (systemic)	0.345 mg/kg

## 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

## Personal protection equipment

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.



AH0-700	Anti-adherent coating
Version 1.1	Revision date 13-Aug-2024

#### Hand protection

For prolonged or repeated handling the following glove material must be used: Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles: EN ISO 374

#### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes. Recommended eye protection articles. Eye glasses with side protection: EN 166

4

#### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn. Antistatic clothing including shoes are recommended.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

	-
Physical state	Liquid
Colour	refer to label
Odour	characteristic
pH at 20 °C (100%)	7 - 8.8
Melting point/freezing point	not determined
Initial boiling point and boiling range	> 35 °C
Flash point	not applicable
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	not determined
Relative vapour density	not applicable
Density at 20 °C	1.02 kg/l
Water solubility at 20°C	completely miscible
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Kinematic viscosity at 20 °C:	thixotropic
Dynamic viscosity:	75-85dPas/Sp.1/20°C
particle characteristics	not applicable
Other information	

not applicable

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

9.2



-2024

AH0-700	Anti-adherent coating	
Version 1.1	Revision date 13-Aug-2024	Print date 13-Aug-2

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

## 10.3 Possibility of hazardous reactions

Not applicable

#### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5 Incompatible materials

No further relevant information available.

#### 10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

**1,2-benzisothiazol-3(2H)-one** LD50: oral (Rat): = 532 mg/kg

LD50: dermal (Rat): = 5,000 mg/kg

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### **Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Overall assessment on CMR properties**

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Based on available data, the classification criteria are not met.

#### Algae toxicity

1,2-benzisothiazol-3(2H)-one

ErC50: (Pseudokirchneriella subcapitata): = 0.11 mg/L

#### Daphnia toxicity EC50 = 16.4 mg/L (48 h)



AH0-700 Anti-adherent coating Version 1.1 Revision date 13-Aug-2024

Fish toxicity

LC50: (Oncorhynchus mykiss (Rainbow trout)): = 11 mg/L (96 h)

#### 12.2 Persistence and degradability

**1,2-benzisothiazol-3(2H)-one** Biodegradation = 0.04 %

## 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7 Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

#### Waste codes/waste designations according to EWC/AVV

080111\* - Waste paint and varnish containing organic solvents or other dangerous substances

#### Other disposal recommendations

Non-contaminated packages may be recycled. Following consultation with waste management company and after solidification, landfill together with household waste.

#### **SECTION 14: Transport information**

## 14.1 UN number or ID number

not applicable

#### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

#### Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

#### Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

## 14.3 Transport hazard class(es)

not applicable

#### 14.4 Packing group

not applicable

#### 14.5 Environmental hazards

Land transport (ADR/RID)	not applicable
Sea transport (IMDG)	not applicable

#### 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

## 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

#### 14.8 Additional information



AH0-700 Version 1.1 Anti-adherent coating Revision date 13-Aug-2024

#### Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable

#### Air transport (ICAO-TI / IATA-DGR)

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

#### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

#### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 2 g/l

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

#### National regulations

Observe in addition any national regulations!

## **SECTION 16: Other information**

#### List of relevant hazard statements and/or precautionary statements from sections 2 to 15

	· ·
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

#### Key literature references and sources for data

Data arise from reference works and literature.

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- OEL: Occupational Exposure Limit Value
- BLV: Biological limit values
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging
- CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

- **DNEL: Derived No-Effect Level**
- EAKV: European Waste Catalogue Directive
- EC: Effective Concentration
- EC: European Community
- EN: European Standard
- EU/EEA: European Community
- IATA-DGR: International Air Transport Association Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods

- ISO: International Organization for Standardization LC: Lethal Concentration

LD: Lethal Dose



 AH0-700
 Anti-adherent coating

 Version 1.1
 Revision date 13-Aug-2024
 Print date 13-Aug-2024

 MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
 OECD: Organisation for Economic Cooperation and Development

 PBT: persistent, bioaccumulative, toxic
 PNEC: Predicted No Effect Concentration
 REACH: Registration, Evaluation and Authorization of Chemicals

 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
 UN: United Nations

 VOC: Volatile Organic Compounds
 vPvB: very persistent and very bioaccumulative

 Indication of changes
 Indication of changes

\* Data changed compared with the previous version.

#### Additional information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.