

Article No.:	FG0-200	griwecolor Stain primer
Print date: Version:		Revision date: 11.08.2022 Issue date: 11.08.2022

EN Page 1 / 7

griwecolor Stain primer

		_	
SEC	TION 1: Identification	on of the substance/mix	ture and of the company/undertaking
1.1.	Product identifier		
	Article No. (manufact		FG0-200
	Trade name/designat	tion	griwecolor Stain primer colourless
1.2.	Relevant identified	uses of the substance or n	nixture and uses advised against
1.2.	Relevant identified		
	see as in techn. data		
1.3.	Details of the suppl	ier of the safety data sheet	
	supplier (manufactu	urer/importer/downstream	user/distributor)
	griwecolor GmbH		T-lash
	Wieselbrunnen 2 D-78199 Bräunlingen	n-Döggingen	Telephone: +49(0)7707 9904-0
		sible for information:	
	Herr Grieshaber		
	E-mail (competent pe	,	info@griwecolor.de
1.4.			. 40 (0)7707 000 40
	Emergency telephone Only available during		+49 (0)7707 99040
	8.00 - 12.00 / 13.00 -		
SEC	TION 2: Hazards id	entification	
2.1.	Classification of the	substance or mixture	
	2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]		o 1272/2008 [CLP]
			ling to regulation (EC) No 1272/2008 [CLP].
2.2.	Label elements		
	The product is classif	fied and labelled according t	o EC directives or corresponding national laws.
	Labelling according	to Regulation (EC) No. 12	72/2008 [CLP]
	Hazard pictograms		
	Hazard statements		
		not applicable	
	Precautionary state	not applicable	
	Hazard components	••	
	. azara componente	not applicable	
	Supplemental hazar		
	EUH208		ol-3(2H)-one; reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and
	EUH210	2-methyl-2H-isothiazol-3- o Safety data sheet available	one (3:1); 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.
2.3.	Other hazards		
	No information availa	ble.	
SEC	TION 3: Compositio	on/information on ingree	dients
3.2.	Mixtures		
3.Z.		waterbased Dispersion	
	Description:	waterbased Dispersion	

Hazardous ingredients:

Classification according to Regulation (EC) No 1272/2008 [CLP]



Article No.:	FG0-200	griwecolor Stain primer
Print date:	11.08.2022	Revision date: 11.08.2022
Version:	6.0	Issue date: 11.08.2022

EN Page 2 / 7

griwecolor Stain primer

EC No.	REACH No.	
CAS No.	Designation	weight-%
Index No.	classification: // Remark	

not applicable

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

$4.2. \quad \text{Most important symptoms and effects, both acute and delayed}$

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

The product itself does not burn.

Suitable extinguishing media Not applicable

Unsuitable extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.:carbon monoxide, carbon dioxide, smoke, nitrogen oxides.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



Article No.:	FG0-200	griwecolor Stain primer
Print date:	11.08.2022	Revision date: 11.08.2022
Version:	6.0	Issue date: 11.08.2022
v c13i011.	0.0	13500 0810. 11.00.2022

EN Page 3 / 7

griwecolor Stain primer

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling Advices on safe handling

Avoid contact with skin, eyes and clothes. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Not applicable.

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 5 °C and 25 °C. Protect from sunlight. Take care of instructions on label.

Protect against: Frost

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Personal protection equipment

Respiratory protection

Not applicable.

Hand protection

For prolonged or repeated handling the following glove material must be used: PVC (polyvinyl chloride)

Thickness of the glove material > 0,4 mm; Breakthrough time: >480 min .

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: . Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes. Recommended eye protection articles: Wear eye glasses with side protection according to EN 166.

Body protection

Wear dust-resistant protective clothing.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Liquid refer to label



EN Page 4 / 7

Article No.:	FG0-200	griwecolor Stain primer
Print date:	11.08.2022	Revision date: 11.08.2022
Version:	6.0	Issue date: 11.08.2022

griwecolor Stain primer

	-		
		Odour:	characteristic
		Odour threshold:	not applicable
		Melting point/freezing point:	not applicable
		Initial boiling point and boiling range:	100 °C
			Source: water
		Flammability:	not applicable
		Lower and upper explosion limit:	
		Lower explosion limit:	not applicable
		Upper explosion limit:	not applicable
		Flash point:	not applicable
		Auto-ignition temperature:	not applicable
		Decomposition temperature:	not applicable
		pH at 20 °C:	7 - 8,8 / 100,0 weight-%
		Cinematic viscosity (40°C):	20 mm²/s
		Viscosity at 20 °C:	12 s 4 mm Method: DIN 53211
		Solubility(ies):	
_		Water solubility at 20 °C:	miscible
		Partition coefficient: n-octanol/water:	see section 12
		Vapour pressure at 20 °C:	not applicable
		Density and/or relative density:	
		Density at 20 °C:	1,01 g/cm³
		Relative vapour density:	not applicable
		particle characteristics:	not applicable
	9.2.	Other information	*
		solvent content:	
		Organic solvents:	0,0 weight-%
	SEC	TION 10: Stability and reactivity	
	10 1	Reactivity	
		This material is associate as the man manative	

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

- 10.3. **Possibility of hazardous reactions** Not applicable.
- 10.4. Conditions to avoid Not applicable.
- 10.5. **Incompatible materials** not applicable
- 10.6. **Hazardous decomposition products** Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



Article No.:	FG0-200	griwecolor Stain primer
Print date:	11.08.2022	Revision date: 11.08.2022
Version:	6.0	Issue date: 11.08.2022

EN Page 5 / 7

griwecolor Stain primer

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

- 12.2. **Persistence and degradability** Toxicological data are not available.
- 12.3. Bioaccumulative potential
 - Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. **Mobility in soil** Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available. 12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC



Article No.:	FG0-200	griwecolor Stain primer
Print date:	11.08.2022	Revision date: 11.08.2022
Version:	6.0	Issue date: 11.08.2022

EN Page 6 / 7

griwecolor Stain primer

080111* Waste paint and varnish containing organic solvents or other dangerous substances *Hazardous waste according to Directive 2008/98/EC (waste framework directive).

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA). No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

 14.2.
 UN proper shipping name
 not applicable

 14.3.
 Transport hazard class(es)
 not applicable

 14.4.
 Packing group
 not applicable

 14.5.
 Environmental hazards
 not applicable

 14.5.
 Environmental hazards
 not applicable

 14.5.
 Marine pollutant
 not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1,2

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds VOC product category: (Cat. A/g) ; VOC limit value: 30 g/l Maximum VOC content of the product in a ready to use condition (in g/L): 1,2

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de



Article No.:	FG0-200	griwecolor Stain primer
Print date:	11.08.2022	Revision date: 11.08.2022
Version:	6.0	Issue date: 11.08.2022

EN Page 7 / 7

griwecolor Stain primer

SECTION 16: Other information

Abbreviations and acronyms European Agreement concerning the International Carriage of Dangerous Goods by Road ADR OEL Occupational Exposure Limit Value BLV **Biological Limit Value** CAS Chemical Abstracts Service CLP Classification, Labelling and Packaging CMR Carcinogenic, Mutagenic and Reprotoxic German Institute for Standardization / German industrial standard DIN DNEL Derived No-Effect Level FAKV European Waste Catalogue Directive EC Effective Concentration EC European Community EmS-No. Emergency Response Procedures for Ships Carrying Dangerous Goods ΕN European Standard ΕU **European Union**

EEC	European Economic Community
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative
	•••

Data sources

Data arise from reference works and literature.

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version