

	-700 ion 3.0	Strippable coating, spreadable Revision date 16-Jul-2024 Print date 16-Jul-20			
		n of the substance/mixture and of the company/undertaking			
.1	Product identifier				
	Trade name/designatio	n			
	AZ1-700	Strippable coating, spreadable white			
.2	Relevant identified use	s of the substance or mixture and uses advised against			
	Relevant identified use	S			
	see as in techn. data she	et			
3	Details of the supplier	of the safety data sheet			
	Supplier				
	griwecolor GmbH				
	Im Wieselbrunnen 2	Telephone: +49 7707 9904-0			
	78199 Bräunlingen Germany	E-mail: info@griwecolor.de			
	Department responsibl	e for information			
	E-mail (competent perso				
4	Emergency telephone				
	Emergency telephone nu				
	Only available during off				
ŝE	CTION 2: Hazards ide	ntification			
1	Classification of the su	bstance or mixture			
	Classification according to Regulation (EC) No 1272/2008 [CLP]				
	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].				
.2	Label elements				
-		Regulation (EC) No. 1272/2008 [CLP]			
	Hazard pictograms				
	not applicable				
	Signal word				
	not applicable				
	Hazard statements				
	not applicable				
	Precautionary statements				
	not applicable				
	Hazard components fo	r labelling			
	not applicable				
	Supplemental hazard in				
	EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.			
	EUH210 EUH211	Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist			
3	Other hazards	warning: nazaruous respirable droplets may be formed when splayed. Do not breathe splay of mist			
5		ixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.			
		Active do not meet the F BT/WF VD chiena according to REACH, almex Am.			
ŝE	CTION 3: Compositio	n/information on ingredients.			
	Mixtures				

#### 3.2 Mixtures

Description
waterbased Dispersion
Hazardous ingredients



Strippable coating, spreadable Revision date 16-Jul-2024 Version 3.0

Print date 16-Jul-2024

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
68186-41-4 947-738-8 -	POLY(OXY-1,2-ETHANEDIYL), .ALPHATRIDECYLOMEGAHYDROXY-, ISOOCTYL     PHOSPHATE, POTASSIUM SALT     01-2120768613-48-0000     Skin Corr. 1A H314 / Eye Dam. 1 H318     Specific concentration limit (SCL)     Eye Irrit. 2 H319: >= 10,00 / Eye Dam. 1 H318: >= 67,00 / Skin Irrit. 2 H315: >= 10,00 / Skin Corr.     1A H314: >= 67,00     ATE (oral): 3,127 mg/kg	2,00 < 2,50
2634-33-5 220-120-9 613-088-00-6	1,2-benzisothiazol-3(2H)-one   01-2120761540-60   Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Dam. 1 H318 / Acute Tox. 2   H330 / Aquatic Acute 1 H400 / Aquatic Chronic 1 H410   Specific concentration limit (SCL)   Skin Sens. 1 H317: >= 0,05   ATE (oral): = 532 mg/kg   ATE (dermal): = 5,000 mg/kg	0,025 < 0,050
55965-84-9 -	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	< 0,025
613-167-00-5	Acute Tox. 3 H301 / Acute Tox. 2 H310 / Skin Corr. 1C H314 / Skin Sens. 1A H317 / Eye Dam. 1 H318 / Acute Tox. 2 H330 / Aquatic Acute 1 H400 (M = 100,00) / Aquatic Chronic 1 H410 (M = 100,00) / EUH071 Specific concentration limit (SCL) Eye Irrit. 2 H319: >= 0,06 / Skin Sens. 1A H317: >= 0,0015 / Eye Dam. 1 H318: >= 0,60 / Skin Irrit. 2 H315: >= 0,06 / Skin Corr. 1C H314: >= 0,60	

### Remark

AZ1-700

Full text of H- and EUH-statements: see section 16.

### **SECTION 4: First aid measures**

#### Description of first aid measures 4.1

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

### Self-protection of the first aider

First aider: Pay attention to self-protection!

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

The product itself does not burn. Suitable extinguishing media alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water) Unsuitable extinguishing media



AZ1-700	Strippable coating, spreadable	
Version 3.0	Revision date 16-Jul-2024	Print date 16-Jul-2024

#### Strong water jet

### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Hazardous decomposition byproducts may form with exposure to high temperatures: Carbon dioxide (CO2), carbon monoxide, smoke, Nitrogen oxides (NOx).

### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

### For cleaning up

Clean using cleansing agents. Do not use solvents.

### 6.4 Reference to other sections

Observe protective provisions (see section 7 and 8).

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### Advices on general occupational hygiene

When using do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Protect from heat and direct sunlight. Protect from frost. Take care of instructions on label.

#### 7.3 Specific end use(s)

Observe technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational exposure limit values

CAS No.	Substance name	Source	Long-term /short-term (Spitzenbegrenzung)
13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	WEL	4 / - ( - ) mg/m <sup>3</sup> (respirable fraction)
13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	WEL	10 / - ( - ) mg/m³ (inhalable fraction)



AZ1-700 Version 3.0 Strippable coating, spreadable Revision date 16-Jul-2024

Print date 16-Jul-2024

### Additional information

Long-term: Long-term occupational exposure limit value short-term: short-term occupational exposure limit value

#### **Biological limit values**

No data available

## DNEL worker

CAS No.	Substance name	DNEL type	DNEL value
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term dermal (systemic)	0.966 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term inhalative (systemic)	6.81 mg/m <sup>3</sup>
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	DNEL acute inhalative (local)	0.04 mg/m <sup>3</sup>
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	DNEL long-term inhalative (local)	0.02 mg/m³

### **DNEL Consumer**

CAS No.	Substance name	DNEL type	DNEL value
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term inhalative (systemic)	1.2 mg/m <sup>3</sup>
2634-33-5	1,2-benzisothiazol-3(2H)-one	DNEL long-term dermal (systemic)	0.345 mg/kg
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	DNEL acute inhalative (local)	0.04 mg/m³
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	DNEL long-term inhalative (local)	0.02 mg/m³
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	DNEL long-term oral (repeated)	0.09 mg/kg
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	DNEL short-term oral (acute)	0.11 mg/kg

<u>PNEC</u>

CAS No.	Substance name	PNEC type	PNEC Value
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	PNEC soil, freshwater	0.01 mg/kg
55965-84-9	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	PNEC aquatic, freshwater	0.004 mg/L

#### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

### Personal protection equipment

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

### Hand protection

For prolonged or repeated handling the following glove material must be used:

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material >= 0.4 mm

Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together



AZ1-700	Strippable coating, spreadable
Version 3.0	Revision date 16-Jul-2024

Print date 16-Jul-2024

with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles: EN ISO 374

#### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye/face protection

Wear closely fitting protective glasses in case of splashes. Recommended eye protection articles. Eye glasses with side protection: EN 166

#### Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn. Antistatic clothing including shoes are recommended.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
pH at 20 °C (100%)	7 - 8.8
Melting point/freezing point	not determined
Initial boiling point and boiling range	> 35 °C
Flash point	not applicable
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	not determined
Relative vapour density	not applicable
Density at 20 °C	1.13 kg/l
Water solubility at 20°C	completely miscible
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Kinematic viscosity at 20 °C:	thixotropic
Dynamic viscosity:	45-55dPas/Sp1/20°C
particle characteristics	not applicable

#### 9.2 Other information

not applicable

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

### 10.3 Possibility of hazardous reactions

Not applicable



AZ1-700	Strippable coating, spreadable	
Version 3.0	Revision date 16-Jul-2024	Print date 16-Jul-2024

### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5 Incompatible materials

No further relevant information available.

## 10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### 1,2-benzisothiazol-3(2H)-one

LD50: oral (Rat): = 532 mg/kg

#### LD50: dermal (Rat): = 5,000 mg/kg

POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-TRIDECYL-.OMEGA.-HYDROXY-, ISOOCTYL PHOSPHATE, POTASSIUM SALT

LD50: oral (Rat): 3,127 mg/kg

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Based on available data, the classification criteria are not met.

#### Algae toxicity

**1,2-benzisothiazol-3(2H)-one** ErC50: (Pseudokirchneriella subcapitata): = 0.11 mg/L

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) ErC50: (Pseudokirchneriella subcapitata): = 0.048 mg/L

### Daphnia toxicity

**1,2-benzisothiazol-3(2H)-one** EC50 = 16.4 mg/L (48 h)

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) EC50 = 0.1 mg/L (48 h)



AZ1-700	Strippable coating, spreadable
Version 3.0	Revision date 16-Jul-2024

Print date 16-Jul-2024

### Fish toxicity

**1,2-benzisothiazol-3(2H)-one** LC50: (Oncorhynchus mykiss (Rainbow trout)): = 11 mg/L (96 h)

#### 12.2 Persistence and degradability

1,2-benzisothiazol-3(2H)-one

Biodegradation = 0.04 %

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) Biodegradation = 60 %

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7 Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

### Waste codes/waste designations according to EWC/AVV

080111\* - Waste paint and varnish containing organic solvents or other dangerous substances HP4 - Reizend — Hautreizung und Augenschädigung

#### Other disposal recommendations

Non-contaminated packages may be recycled. Following consultation with waste management company and after solidification, landfill together with household waste.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

not applicable

### 14.2 UN proper shipping name

### Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

#### Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

### Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

## 14.3 Transport hazard class(es)

not applicable

### 14.4 Packing group

not applicable

### 14.5 Environmental hazards

Land transport (ADR/RID) Sea transport (IMDG) not applicable not applicable

### 14.6 Special precautions for user



AZ1-700	Strippable coating, spreadable
Version 3.0	Revision date 16-Jul-2024

Print date 16-Jul-2024

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

7 Maxitime transport in bulk according to INO inc

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## 14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU legislation

### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 2 g/l

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

### National regulations

Observe in addition any national regulations!

### **SECTION 16: Other information**

#### List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] not applicable

### Key literature references and sources for data

Data arise from reference works and literature.

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic

DINK. Carcinogenic, Mulagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration



AZ1-700 Version 3.0 Strippable coating, spreadable Revision date 16-Jul-2024

EC: European Community EN: European Standard EU/EEA: European Community IATA-DGR: International Air Transport Association - Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization LC: Lethal Concentration LD: Lethal Dose MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration REACH: Registration, Evaluation and Authorization of Chemicals RID: Regulations concerning the International Carriage of Dangerous Goods by Rail UN: United Nations VOC: Volatile Organic Compounds vPvB: very persistent and very bioaccumulative

### Indication of changes

\* Data changed compared with the previous version.

#### Additional information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.